BANYULE

FACT SHEET 2019

All women have the right to good sexual and reproductive health across the lifespan. This fact sheet details the sexual and reproductive health of the **62,639 women and girls** who call Banyule home.

BIRTHS

1,753 babies were born to Banyule residents in 2016, which is 163 more than reported in 2015.²

Total fertility rate (TFR) refers to total number of children born or likely to be born to a woman in her lifetime. According to 2016 data, the TFR for

women in Banyule was 1.82, which was slightly higher than the Victorian average of 1.73.2

The adolescent fertility rate (AFR) is defined as the number of births per 1,000 women ages 15 to 19. The AFR for Banyule was 5.1, which is lower than the Victorian average of 10.4.3

CONTRACEPTION

66% of heterosexually active women aged 16-49 report contraception use.⁶

Less effective contraceptive methods and those prone to human error (such as the oral contraceptive pill and condoms) are used most commonly, despite the availability of a number of long-acting reversible contraceptives (LARCs) proven to be more effective.⁷ There is an unmet need for women in the northern region to be informed about and have access to LARCs and abortion services.

PROCHOICE

UNINTENDED PREGNANCY AND ABORTION


It is estimated that approximately

I in 2 Australian women
have had an unintended
pregnancy.⁵

It is estimated that I in 3
Australian women will have an abortion at some point in her life.⁵

ENDOMETRIOSIS

Endometriosis is an under-recognised chronic disease where cells similar to those that line a woman's uterus grow in other parts of the body, usually around the pelvis. It is estimated to affect more than 700,000 Australian women and girls.⁸ The average time between the onset of symptoms and diagnosis of endometriosis is between 7 to 12 years, leaving many women suffering the associated pain and symptoms in silence.⁸





Women's Health In the North acknowledges the support of the Victorian Government.



SEXUALLY TRANSMISSIBLE INFECTIONS (STIS)

For women, **chlamydia** is the most commonly reported STI in Banyule, accounting for approximately **82**% of all notifications for women.¹⁰ The **chlamydia** rate of 296 per 100,000 people is **lower than the Victorian rate** of **423** per 100,000 people.¹⁰

HEPATITIS B

In Banyule, the prevalence rate of **chronic hepatitis B** is lower than the Victorian prevalence rate of **0.99**%. Currently **0.85**% of the population in Banyule are living with **chronic hepatitis B**, which equates to **1,056 people.**


Hepatitis B causes inflammation of the liver and can lead to liver cirrhosis and cancer.

CERVICAL SCREENING

63.8% of women in the Banyule region participated in **cervical screening** in 2014 – 2015. ¹⁴ This reflects a drop of **1.6**% since 2013. It is recommended that all people with a cervix aged 25-74 should have a **Cervical screening test**, even if they have been vaccinated for HPV.

81% of women diagnosed with cervical **cancer** in 2014 did not participate in **regular cervical screening.**¹⁴

BANYULE STI NOTIFICATIONS¹⁰



Hepatitis B (newly acquired and unspecified) 12 cases HIV 0 cases Gonorrhoea 197 cases

FEMALE GENITAL CUTTING (FGC)

A significant population of women in the NMR are from communities where FGC is practised.¹⁶ At WHIN we recognise FGC as a violation of human rights and a harmful traditional practice with no known health benefits. For more information, please consult WHIN's dedicated FGC resources on our website.

SEXUAL ASSAULT

In Banyule, 89 sexual offences were reported by females in 2018.²¹ The rate of victim reports of 8.9 per 10,000 women were slightly lower than the Victorian average of 14 per 10,000 women.²¹



% PARTICIPATION IN CERVICAL SCREENING 2014 - 2015¹⁴



Local Government Area

AT WHIN, WE ADVOCATE FOR:

Women's rights to experience safe and respectful intimacy and relationships, and freedom to express and their sexuality without abuse, discrimination or violence.

Women's rights to choose if, when, how and how often they have children.

Sexual and reproductive health services that are accessible, affordable and appropriate.